

Genius Low Level Multi-Deck



- Temp range: -1°C /+4°C
- Fully automatic operation
- Fluorescent lamps in canopy
- Multiplexable
- Night blind
- Three shelves plus base

Model	Dimensions (L x D x H mm)	Power (W)
Genius 0.7m	732 x 630 x 1457	540
Genius 1.0m	1047 x 630 x 1457	840
Genius 1.3m	1360 x 630 x 1457	1040
Genius 2.0m	1985 x 630 x 1457	1280

Length of cases indicated in mm with ends.
Thickness of one end: 55mm

Options

- Height 1257mm
- Panoramic glass
- Lighting in side walls



1m GENIUS




Panoramic glass side panel

MULTI-DECK

Delta Multi-Deck

- Temp range +2°C/+5°C
- Fully automatic operation
- Fluorescent light in canopy
- Digital controller
- 4 shelves plus base
- Night blind

Model	Dimensions (L x D x H mm)	Power (W)
Delta 0.7m	705 x 655 x 1934	700
Delta 1.0m	1017 x 655 x 1934	780
Delta 1.3m	1330 x 655 x 1934	890
Delta 1.5m	1530 x 655 x 1934	1270
Delta 2.0m	1955 x 655 x 1934	1370



1.3m DELTA

* Please Refer to Manufacturers Catalogue for Full Product Specifications

Cronus Plus White Multi-Deck


- Temp range: 0°C /+5°C
- Fully automatic operation
- Fluorescent light in canopy
- Integral
- Multiplexable
- Night blind
- Four shelves & base
- Available in meat/fruit & veg

Model	Dimensions (L x D x H mm)	Power (W)
1.0m	1040 x 832 x 1997	1220
1.35m	1350 x 832 x 1997	1580
2.0m	1975 x 832 x 1997	2310
2.6m	2600 x 832 x 1997	2500

Length of cases indicated in mm with ends.
Thickness of one end: 50mm

Options

- Stainless steel
- Remote




2m CRONUS PLUS WHITE

Cronus Stainless Steel Multi-Desk

- Temp Range: 0°C /+ 4°C
- Stainless steel interior / exterior
- Fluorescent light in canopy
- Integral or Remote Options
- Night blind
- Four shelves & Base

Model	Dimensions (L x D x H mm)	Power (W)
1.00m	1040 x 632 x 1997	1220
1.35m	1350 x 632 x 1997	1580
2.00m	1975 x 632 x 1997	2310

Length of cases indicated in mm with ends.
Thickness of one end: 50mm




2m CRONUS

* Please Refer to Manufacturers Catalogue for Full Product Specifications

PSI Stainless Steel Multi-Deck

- Temp range: +0°C /+5°C
- Fully automatic operation
- Stainless steel interior/exterior
- Integral or remote options
- Night blind
- Four shelves and base
- Digital controller
- Side lighting & canopy lighting
- Mirrored side panels

Model	Dimensions (Lx D x Hmm)
1.0m	1035 x 649 x 2112
1.3m	1345 x 649 x 2112
1.5m	1545 x 649 x 2112
2.0m	1970 x 649 x 2112



1.3m PSI

MULTI-DECK

PSI Shutter Multi-Deck

- Temp range: 0/+4°C
- Electric shutter (key operated)
- Fully automatic operation
- Stainless steel interior/exterior
- Glazed side panels
- Four shelves plus base
- Digital controller
- Canopy lighting

Model	Dimensions (Lx D x Hmm)
1.0m	1035 x 649 x 2112
1.3m	1345 x 649 x 2112
1.5m	1545 x 649 x 2112
2.0m	1970 x 649 x 2112



1m PSI SHUTTER

* Please Refer to Manufacturers Catalogue for Full Product Specifications

Sirius HMCT Multi-Deck

- Temp range +2°C / +4°C
- Remote installation
- 5 level of shelves with under shelf lighting
- Light in canopy
- Electronic controller
- Pipe termination at top
- Multiplexable
- Night blind
- Bumper rail
- Mirror end panels

Dimensions

Lengths (mm): 1250/1875/2500/3750


Depths (mm): 900

Height (mm): 2060

Length of cases indicated in mm without ends.
Thickness of one end with side bumper rail 40 mm.

Options

- Glazed side panels



2.6m SIRIUS HMCT

* Please Refer to Manufacturers Catalogue for Full Product Specifications